

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primo Adhesive

Print date: 03.02.2016

Product code: 10227

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Primo Adhesive

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

Adhesive for denture relinings for use in dentistry.

### 1.3. Details of the supplier of the safety data sheet

Company name:	DETAX GmbH & Co. KG	
Street:	Carl-Zeiss-Strasse	
Place:	D-76275 Ettlingen	
Telephone:	+49 7243/510-0	Telefax: +49 7243/510-100
e-mail:	post@detax.de	
Internet:	www.detax.de	
Responsible Department:	Emergency number: +49 7243/510-0	
	This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 a.m. - 4.00 p.m.)	
	+49 7243/510-0	
	This number is only obtainable during office hours (Monday - Thursday 8.00 a.m. - 5.00 p.m., Friday 8.00 - 4.00 p.m.)	

### 1.4. Emergency telephone number:

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

Hazard categories:  
Flammable liquid: Flam. Liq. 2  
Hazard Statements:  
Highly flammable liquid and vapour.

### 2.2. Label elements

Signal word: Danger

Pictograms:



#### Hazard statements

H225 Highly flammable liquid and vapour.

#### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P370+P378 In case of fire: Use Carbon dioxide (CO2), Foam, Extinguishing powder to extinguish.

according to Regulation (EC) No 1907/2006

**Primo Adhesive**

Print date: 03.02.2016

Product code: 10227

Page 2 of 7

P403+P235

Store in a well-ventilated place. Keep cool.

P501

Dispose of contents/container according to local and applicable legislation of disposal of waste.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture of ethoxy silane derivatives.

**SECTION 4: First aid measures****4.1. Description of first aid measures****After inhalation**

Provide fresh air.

**After contact with skin**

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water.

**After ingestion**

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water.  
Seek immediately medical advice. Do not induce vomiting. In case of spontaneous vomiting take care of an unhindered flow out of the vomit (danger of suffocation).

**4.2. Most important symptoms and effects, both acute and delayed**

No information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**Carbon dioxide (CO<sub>2</sub>), Foam, Extinguishing powder.**Unsuitable extinguishing media**

Water.

**5.2. Special hazards arising from the substance or mixture**

Flammable. Vapours can form explosive mixtures with air.

**5.3. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**Additional information**

Use water spray jet to protect personnel and to cool endangered containers. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Remove all sources of ignition.

**6.2. Environmental precautions**

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primo Adhesive

Print date: 03.02.2016

Product code: 10227

Page 3 of 7

#### **6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).  
Treat the recovered material as prescribed in the section on waste disposal.

#### **6.4. Reference to other sections**

Safe handling: see section 7  
Personal protection equipment: see section 8  
Disposal: see section 13

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

##### **Advice on safe handling**

No special measures are necessary.

##### **Advice on protection against fire and explosion**

Keep away from sources of ignition. - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

#### **7.2. Conditions for safe storage, including any incompatibilities**

##### **Requirements for storage rooms and vessels**

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

##### **Advice on storage compatibility**

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

#### **7.3. Specific end use(s)**

Adhesive for silicone based denture relinings.

### SECTION 8: Exposure controls/personal protection

#### **8.1. Control parameters**

#### **8.2. Exposure controls**

##### **Protective and hygiene measures**

Take off contaminated clothing. Wash hands before breaks and after work. When using do not eat or drink.

##### **Eye/face protection**

Wear eye/face protection.

##### **Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Suitable are gloves of the following material: Butyl caoutchouc (butyl rubber)

##### **Skin protection**

Flame-retardant protective clothing. Wear anti-static footwear and clothing

##### **Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

according to Regulation (EC) No 1907/2006

### Primo Adhesive

Print date: 03.02.2016

Product code: 10227

Page 4 of 7

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state: liquid:  
 Colour: colourless  
 Odour: aromatic

#### Test method

pH-Value: not determined

#### Changes in the physical state

Melting point: not determined  
 Initial boiling point and boiling range: 135-140 °C DIN 51356  
 Flash point: 12 °C DIN 51755

#### Flammability

Solid: not applicable  
 Gas: not applicable

Lower explosion limits: not determined

Upper explosion limits: not determined

Ignition temperature: >260 °C DIN 51794

#### Auto-ignition temperature

Solid: not applicable  
 Gas: not applicable

Decomposition temperature: >120 °C

#### Oxidizing properties

Not oxidizing.

Vapour pressure: (at 20 °C) 2,5 hPa

Vapour pressure: (at 50 °C) 1100 hPa

Density (at 20 °C): 0,94 g/cm<sup>3</sup> DIN 51757

Water solubility: insoluble

#### Solubility in other solvents

not determined

Partition coefficient: not determined

Viscosity / dynamic: (at 23 °C) 1,3 mPa·s BROOKFIELD

Vapour density: not determined

Evaporation rate: not determined

### 9.2. Other information

Solid content: not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Flammable, Ignition hazard.

### 10.2. Chemical stability

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primo Adhesive

Print date: 03.02.2016

Product code: 10227

Page 5 of 7

The product is stable under storage at normal ambient temperatures.

#### **10.3. Possibility of hazardous reactions**

Reacts with : oxidising agents, spontaneously flammable or combustible materials. Slow decomposition in water.

#### **10.4. Conditions to avoid**

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

#### **10.5. Incompatible materials**

No information available.

#### **10.6. Hazardous decomposition products**

In case of hydrolysis, methanol is released.

## SECTION 11: Toxicological information

### **11.1. Information on toxicological effects**

#### **Acute toxicity**

Based on available data, the classification criteria are not met.  
For the product itself no toxicological data are available. In products with a comparable composition, a LD50 (orally, species rat) of > 5000 mg/kg has been found. In products with a comparable composition a LD50 (intracutaneous, species rabbit) of >2000 mg/kg has been found.

#### **Irritation and corrosivity**

Based on available data, the classification criteria are not met.

#### **Sensitising effects**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **Severe effects after repeated or prolonged exposure**

Based on available data, the classification criteria are not met.

#### **Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### **12.1. Toxicity**

The product is not: Ecotoxic.

### **12.2. Persistence and degradability**

The product has not been tested.

### **12.3. Bioaccumulative potential**

The product has not been tested.

### **12.4. Mobility in soil**

The product has not been tested.

### **12.5. Results of PBT and vPvB assessment**

Not identified as PBT/ vPvB substances

### **12.6. Other adverse effects**

No information available.

### **Further information**

Avoid release to the environment.

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primo Adhesive

Print date: 03.02.2016

Product code: 10227

Page 6 of 7

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

#### Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

## SECTION 14: Transport information

### Land transport (ADR/RID)

<b>14.1. UN number:</b>	UN 1866
<b>14.2. UN proper shipping name:</b>	Resin solution
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Classification code:	F1
Limited quantity:	5 L
Transport category:	2
Hazard No:	33
Tunnel restriction code:	D/E

#### Other applicable information (land transport)

Flammable liquid

### Marine transport (IMDG)

<b>14.1. UN number:</b>	UN 1866
<b>14.2. UN proper shipping name:</b>	Resin solution
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Marine pollutant:	-
Special Provisions:	-
Limited quantity:	5 L/ 30 kg
EmS:	F-E, S-E

#### Other applicable information (marine transport)

Flash point: 12°C c.c.

### Air transport (ICAO)

<b>14.1. UN number:</b>	UN 1866
<b>14.2. UN proper shipping name:</b>	Resin solution
<b>14.3. Transport hazard class(es):</b>	3
<b>14.4. Packing group:</b>	II
Hazard label:	3
Special Provisions:	A3
Limited quantity Passenger:	1 L/ 30 kg
Passenger LQ:	Y341
IATA-packing instructions - Passenger:	353
IATA-max. quantity - Passenger:	5 L
IATA-packing instructions - Cargo:	364

## Safety Data Sheet

according to Regulation (EC) No 1907/2006

### Primo Adhesive

Print date: 03.02.2016

Product code: 10227

Page 7 of 7

IATA-max. quantity - Cargo:

60 L

#### 14.6. Special precautions for user

Warning: Combustible liquid.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

not applicable

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

##### Additional information

To follow: 850/2004/EC, 79/117/EEC, 689/2008/EC

##### National regulatory information

Employment restrictions:

Observe employment restrictions for young people.

Water contaminating class (D):

1 - slightly water contaminating

#### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route  
(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service

LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

#### Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour.

#### Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*